

REGNIS
PRODUCENT GRZEJNIKÓW

*The art of
creating radiators*



EXPERIENCE
DESIGN
TIMELESSNESS
ELEGANCE
CREATIVITY
STYLE
HIGH-TECH
INDIVIDUALISM



The **REGNIS** company was established in June 2018, in Nowy Sącz. It was founded by **Jan Stefański**, who has over **25-year experience** in the welding industry. His welding skills encompass virtually all welding methods, i.e. E-111 (MMA), MIG-131 (GMAW), MAG-135 (GMAW), MAG-136 (FCAW), MAG-138 (FCAW) and TIG-141 (GTAW). Together with his close-knit team, he designs bathroom, decorative and room radiators with great care and potential. Selection of high-quality materials and great attention to detail are the bases for manufacturing every single radiator.

REGNIS personnel do not treat radiators as average, purely practical products, as they perceive their designs as artistic installations which can exist in an interior as essential components providing specific atmosphere or as important elements complementing the overall composition. The product catalogue presenting timeless aesthetics, a variety of models with numerous connection options and possibilities to customise radiators to customers' individual designs is the ultimate tribute to their creativity.

4	ŁEZKA 3D (Ł3D) radiator
6	ŁEZKA 3DX (Ł3DX) radiator
8	ŁEZKA (ŁE) radiator
10	ŁEZKA PROSTA (ŁP) radiator
12	ŁEZKA RETRO (ŁR) radiator
14	ELBA (EL) radiator
16	KP DRABINKA (KP) radiator
18	LOX radiator
20	LOX DUO radiator
22	DEX radiator
24	MIX KALIPSO (MK) radiator
26	KREON (KR) radiator
28	KREON ZENIT (KZ) radiator
30	LAZUR (LA) radiator
32	LAZUR VIP (LV) radiator
34	KALIPSO Z LUSTREM (KL) radiator
36	KALIPSO MIR (KA) radiator
38	KALIPSO POKOJOWY (KPP) radiator
40	KALIPSO ZENIT radiator
42	PORK radiator
44	LUXAR radiator
46	LEVEL / LEVEL II radiator
48	ELECTRIC radiators
50	ACCESSORIES


ŁEZKA 3D



ŁEZKA 3D (Ł3D)

BATHROOM RADIATOR

The **ŁEZKA** radiator is one-of-a-kind design on the bathroom radiator market. It embodies the art of redesigning a bathroom radiator to present it in a new guise. In comparison with its rectangular predecessor, the elliptic profile stands out thanks to its slim and streamlined shape, and its manufacturing precision is **unrivalled**.



TYPE	HEIGHT (mm)	WIDTH (mm)	CONNECTOR SPACING	HEATING POWER
Ł3D 9/40	500	440	D400	289
Ł3D 12/40	675	440	D400	304
Ł3D 16/40	910	440	D400	446
Ł3D 22/40	1205	440	D400	521
Ł3D 26/40	1435	440	D400	631
Ł3D 29/40	1580	440	D400	701
Ł3D 9/50	500	540	D500	306
Ł3D 12/50	675	540	D500	399
Ł3D 16/50	910	540	D500	469
Ł3D 22/50	1205	540	D500	627
Ł3D 26/50	1435	540	D500	702
Ł3D 29/50	1580	540	D500	749




ŁEZKA 3DX



ŁEZKA 3DX (Ł3DX)

BATHROOM RADIATOR

The **Łezka 3DX** radiator combines bathroom-heating and decorative features. The appearance itself is its unquestionable advantage, as it is totally unique and highlights the style of any bathroom. The whole creates a cutting-edge design and can be a stylish supplement to any bathroom interior.



TYPE	HEIGHT (mm)	WIDTH (mm)	CONNECTOR SPACING	CONNECTOR SPACING	HEATING POWER
Ł3DX 8/40	480	440	400	50	289
Ł3DX 12/40	675	440	400	50	304
Ł3DX 16/40	910	440	400	50	446
Ł3DX 22/40	1205	440	400	50	521
Ł3DX 26/40	1435	440	400	50	631
Ł3DX 28/40	1520	440	400	50	701
Ł3DX 8/50	480	540	500	50	306
Ł3DX 12/50	675	540	500	50	399
Ł3DX 16/50	910	540	500	50	469
Ł3DX 22/50	1205	540	500	50	627
Ł3DX 26/50	1435	540	500	50	702
Ł3DX 28/50	1520	540	500	50	749




ŁEZKA ŁE



ŁEZKA (ŁE)

BATHROOM RADIATOR

The **ŁEZKA** radiator has been designed with both tradition and practicality in mind. It comes with a classic shape, making it a suitable solution for any bathroom. It harmoniously combines contemporary design with classic, timeless details.



TYPE	HEIGHT (mm)	WIDTH (mm)	CONNECTOR SPACING	HEATING POWER
ŁE 9/40	500	440	D400	289
ŁE 12/40	675	440	D400	304
ŁE 16/40	910	440	D400	446
ŁE 22/40	1205	440	D400	521
ŁE 26/40	1435	440	D400	631
ŁE 29/40	1580	440	D400	701
ŁE 9/50	500	540	D500	306
ŁE 12/50	675	540	D500	399
ŁE 16/50	910	540	D500	469
ŁE 22/50	1205	540	D500	627
ŁE 26/50	1435	540	D500	702
ŁE 29/50	1580	540	D500	749




ŁEZKA PROSTA



ŁEZKA PROSTA (ŁP)

BATHROOM RADIATOR

Łezka Prosta radiators are lightweight and functional designs drawing the eye with their simple, elliptical shapes. These stylish radiators constitute a state-of-the-art decoration for any bathroom.



TYPE	HEIGHT (mm)	WIDTH (mm)	CONNECTOR SPACING	HEATING POWER
ŁP 9/40	500	440	D400	289
ŁP 12/40	675	440	D400	304
ŁP 16/40	910	440	D400	446
ŁP 22/40	1205	440	D400	521
ŁP 26/40	1435	440	D400	631
ŁP 29/40	1580	440	D400	701
ŁP 9/50	500	540	D500	306
ŁP 12/50	675	540	D500	399
ŁP 16/50	910	540	D500	469
ŁP 22/50	1205	540	D500	627
ŁP 26/50	1435	540	D500	702
ŁP 29/50	1580	540	D500	749




ŁEZKA RETRO



ŁEZKA RETRO (ŁR)

BATHROOM RADIATOR

Łezka Retro radiators can be installed in any interior furnished in a simple and austere style. The overall design and profile layout looks as befits a typical loft – cool and minimalist by nature.



TYPE	HEIGHT (mm)	WIDTH (mm)	CONNECTOR SPACING	HEATING POWER
ŁR 10/30	900	300	D260	401
ŁR 12/30	1100	300	D260	444
ŁR 14/30	1280	300	D260	487
ŁR 16/30	1450	300	D260	582
ŁR 18/30	1650	300	D260	644
ŁR 20/30	1840	300	D260	652
ŁR 10/40	900	440	D400	436
ŁR12/40	1100	440	D400	470
ŁR 14/40	1280	440	D400	503
ŁR 16/40	1450	440	D400	616
ŁR 18/40	1640	440	D400	686
ŁR 20/40	1840	440	D400	715
ŁR 10/50	900	540	D500	456
ŁR 12/50	1100	540	D500	487
ŁR 14/50	1280	540	D500	518
ŁR 16/50	1450	540	D500	698
ŁR 18/50	1650	540	D500	712
ŁR 20/50	1840	540	D500	765





ELBA



ELBA (EL)

BATHROOM RADIATOR

ELBA radiators ensure unsurpassed comfort and warmth in your bathroom. They combine elegant design with perfect functionality. They constitute a ideal selection both for modern and traditionally furnished bathrooms.



TYPE	HEIGHT (mm)	WIDTH (mm)	CONNECTOR SPACING	HEATING POWER
EL 9/30	500	300	D5	250
EL 12/30	675	300	D5	290
EL 16/30	910	300	D5	350
EL 22/30	1205	300	D5	432
EL 26/30	1435	300	D5	611
EL 29/30	1580	300	D5	689
EL 9/40	500	440	D5	289
EL 12/40	675	440	D5	304
EL 16/40	910	440	D5	446
EL 22/40	1205	440	D5	521
EL 26/40	1435	440	D5	631
EL 29/40	1580	440	D5	701
EL 9/50	500	540	D5	306
EL 12/50	675	540	D5	389
EL 16/50	910	540	D5	469
EL 22/50	1205	540	D5	627
EL 26/50	1435	540	D5	702
EL 29/50	1580	540	D5	749




KP DRABINKA



KP DRABINKA (KP)

BATHROOM RADIATOR

The **KP DRABINKA** radiator model design resembles a ladder. These radiators come with simple oval profiles seated on two side collectors. This solution ensures their subtle and attractive appearance. They can be installed in any interior furnished in a simple and austere style.



TYPE	HEIGHT (mm)	WIDTH (mm)	CONNECTOR SPACING	HEATING POWER
KP 50/30	500	300	D260	186
KP 70/30	640	300	D260	258
KP 90/30	920	300	D260	316
KP 120/30	1200	300	D260	389
KP 140/30	1340	300	D260	452
KP 160/30	1620	300	D260	521
KP 180/30	1760	300	D260	578
KP 50/40	500	440	D400	242
KP 70/40	640	440	D400	269
KP 90/40	920	440	D400	337
KP 120/40	1200	440	D400	404
KP 140/40	1340	440	D400	471
KP 160/40	1620	440	D400	545
KP 180/40	1760	440	D400	592
KP 50/50	500	540	D500	261
KP 70/50	640	540	D500	287
KP 90/50	920	540	D500	357
KP 120/50	1200	540	D500	424
KP 140/50	1340	540	D500	491
KP 160/50	1620	540	D500	558
KP 180/50	1760	540	D500	602




LOX



LOX


BATHROOM RADIATOR

Functional and sleek design is the main feature of **LOX** heaters. Their simple shape makes them suitable for any interior furnished in a simple and austere style.



TYPE	HEIGHT (mm)	WIDTH (mm)	CONNECTOR SPACING	CONNECTOR SPACING	HEATING POWER
LOX 60/30	570	300	270	50	401
LOX 90/30	880	300	270	50	487
LOX 120/30	1190	300	270	50	582
LOX 150/30	1500	300	270	50	644
LOX 180/30	1800	300	270	50	652
LOX 60/40	570	430	400	50	436
LOX 90/40	880	430	400	50	503
LOX 120/40	1190	430	400	50	616
LOX 150/40	1500	430	400	50	686
LOX 180/40	1800	430	400	50	715
LOX 60/50	570	530	500	50	456
LOX 90/50	880	530	500	50	518
LOX 120/50	1190	530	500	50	698
LOX 150/50	1500	530	500	50	712
LOX 180/50	1800	530	500	50	765






LOX DUO

LOX DUO

BATHROOM RADIATOR

LOX DUO radiators combine strong character with beautiful appearance and perfect functionality. Their design will meet expectations of most demanding customers, and the rails can facilitate drying wet towels.



TYPE	HEIGHT (mm)	WIDTH (mm)	CONNECTOR SPACING	CONNECTOR SPACING	HEATING POWER
LOX DUO 60/30	520	300	270	50	401
LOX DUO 90/30	840	300	270	50	487
LOX DUO 120/30	1160	300	270	50	582
LOX DUO 150/30	1480	300	270	50	644
LOX DUO 180/30	1800	300	270	50	652
LOX DUO 60/40	520	430	400	50	436
LOX DUO 90/40	840	430	400	50	503
LOX DUO 120/40	1160	430	400	50	616
LOX DUO 150/40	1480	430	400	50	686
LOX DUO 180/40	1800	430	400	50	715
LOX DUO 60/50	520	530	500	50	456
LOX DUO 90/50	840	530	500	50	518
LOX DUO 120/50	1160	530	500	50	698
LOX DUO 150/50	1480	530	500	50	712
LOX DUO 180/50	1800	530	500	50	765




DEX



DEX

BATHROOM RADIATOR

DEX is a new bathroom radiator type. Such features as simplicity of the wide-angled profiles and rectangular design shape ensure that this radiator goes with any bathroom décor and adds a graceful touch to any interior.



TYPE	HEIGHT (mm)	WIDTH (mm)	CONNECTOR SPACING	HEATING POWER
DEX 70/30	730	300	D270	360
DEX 100/30	990	300	D270	447
DEX 120/30	1250	300	D270	548
DEX 150/30	1520	300	D270	601
DEX 180/30	1780	300	D270	612
DEX 70/40	730	430	D400	396
DEX 100/40	990	430	D400	463
DEX 120/40	1250	430	D400	589
DEX 150/40	1520	430	D400	642
DEX 180/40	1780	430	D400	680
DEX 70/50	730	530	D500	415
DEX 100/50	990	530	D500	498
DEX 120/50	1250	530	D500	647
DEX 150/50	1520	530	D500	683
DEX 180/50	1780	530	D500	725




MIX KALIPSO



MIX KALIPSO (MK)

BATHROOM RADIATOR

MIX KALIPSO is a state-of-the-art, sleek bathroom radiator perfectly complementing any interior. Asymmetrically arranged profiles ensure an extra touch of elegance and style in any bathroom.



TYPE	HEIGHT (mm)	WIDTH (mm)	CONNECTOR SPACING	HEATING POWER
MK 100/30	1000	300	D260	356
MK 120/30	1200	300	D260	424
MK 140/30	1400	300	D260	473
MK 160/30	1600	300	D260	545
MK 180/30	1800	300	D260	592
MK 100/40	1000	440	D400	396
MK 120/40	1200	440	D400	464
MK 140/40	1400	440	D400	513
MK 160/40	1600	440	D400	595
MK 180/40	1800	440	D400	652
MK 100/50	1000	540	D500	450
MK 120/50	1200	540	D500	514
MK 140/50	1400	540	D500	563
MK 160/50	1600	540	D500	657
MK 180/50	1800	540	D500	704







KREON

KREON

BATHROOM RADIATOR

KREON is a radiator with a universal design resulting from its modern colour schemes and timeless form. This unique radiator will accentuate the character of your space and add a spunky touch, bringing out its appealing features to the foreground.



TYPE	HEIGHT (mm)	WIDTH (mm)	CONNECTOR SPACING	HEATING POWER
KR 55/100	1000	550	D5	541
KR 55/120	1200	550	D5	630
KR 55/140	1400	550	D5	678
KR 55/160	1600	550	D5	721




KREON ZENIT



KREON ZENIT

BATHROOM RADIATOR


KREON is a radiator with a universal design resulting from its modern colour schemes and timeless form. This unique radiator will accentuate the character of your space and add a spunky touch, bringing out its appealing features to the foreground.



TYPE	HEIGHT (mm)	WIDTH (mm)	CONNECTOR SPACING	HEATING POWER
KZ 55/100	550	1000	50	541
KZ 55/120	550	1200	50	630
KZ 55/140	550	1400	50	678
KZ 55/160	550	1600	50	721




LAZUR



LAZUR (LA)

BATHROOM RADIATOR

LAZUR is a radiator featuring a classic design. Its simple form is reminiscent of the industrial style so fashionable lately. It will perfectly meet all your interior heating requirements, simultaneously providing a unique decorative element.



TYPE	HEIGHT (mm)	WIDTH (mm)	CONNECTOR SPACING	HEATING POWER
LA 100/33	1000	330	D5	428
LA 120/33	1200	330	D5	517
LA 140/33	1400	330	D5	575
LA 160/33	1600	330	D5	628
LA 180/33	1800	330	D5	705
LA 100/54	1000	540	D5	766
LA 120/54	1200	540	D5	900
LA 140/54	1400	540	D5	960
LA 160/54	1600	540	D5	1048
LA 180/54	1800	540	D5	1164






LAZUR VIP



LAZUR VIP (LV)

BATHROOM RADIATOR

LAZUR VIP combines an elegant style with unique décor to create a state-of-the-art decoration for any interior. The stunning and inspiring graphic effects that can be applied to the décor will allow you to create a unique radiator tailored to your individual taste.



TYPE	HEIGHT (mm)	WIDTH (mm)	CONNECTOR SPACING	HEATING POWER
LV 120/62	1200	620	D5	625
LV 150/62	1500	620	D5	741
LV 180/62	1800	620	D5	880




KALIPSO Z LUSTREM



KALIPSO Z LUSTREM (KL)

BATHROOM RADIATOR


All who intend to liven up their interiors will surely be interested in our KALIPSO Z LUSTREM (Kalipso with a mirror) radiator. Its elegant style highlighted by the integrated mirror creates a unique decorative element for any interior.



TYPE	HEIGHT (mm)	WIDTH (mm)	CONNECTOR SPACING	HEATING POWER
KL 8/100	1000	500	D5	531
KL 8/120	1200	500	D5	625
KL 8/150	1500	500	D5	741
KL 8/180	1800	500	D5	880





KALIPSO MIR



KALIPSO MIR (KA)

BATHROOM RADIATOR

Sleek, light and minimalist by nature – these are the distinguishing features of the **KALIPSO** radiator design. Their elongated, closely aligned and slightly rounded profiles create a cutting-edge and versatile composition. In addition to their decorative features, these radiators perform their heating function in an exemplary fashion.



TYPE	HEIGHT (mm)	WIDTH (mm)	CONNECTOR SPACING	HEATING POWER
KA 8/100	1000	500	D5	541
KA 8/120	1200	500	D5	625
KA 8/150	1500	500	D5	741
KA 8/180	1800	500	D5	880






KALIPSO
POKOJOWY

KALIPSO POKOJOWY (KPP)


BATHROOM RADIATOR

These room radiators have been designed with both tradition and practicality in mind. They come with a classic shape, making them a suitable solution for any bathroom, hall or room. Their vertical collector external edges are rounded, which gives them extremely appealing appearance.



TYPE	HEIGHT (mm)	WIDTH (mm)	CONNECTOR SPACING	HEATING POWER
KPP 4/260	540	260	LB/PB	295
KPP 8/500	540	500	LB/PB	372
KPP 12/740	540	740	LB/PB	437
KPP 16/980	540	980	LB/PB	552
KPP 20/1200	540	1200	LB/PB	637
KPP 23/1400	540	1400	LB/PB	689
KPP 26/1600	540	1600	LB/PB	721







KALIPSO
ZENIT

KALIPSO ZENIT

BATHROOM RADIATOR

Kalipso Zenit is a practical radiator equipped with a rail providing it with an additional drying function. This innovative design enables our clients to use the heater not only for space heating purposes, but also for drying towels, clothes and other items.



TYPE	HEIGHT (mm)	WIDTH (mm)	CONNECTOR SPACING	HEATING POWER
KA ZENIT 8/600	560	600	50	384
KA ZENIT 8/800	560	800	50	452
KA ZENIT 8/1000	560	1000	50	571
KA ZENIT 8/1200	560	1200	50	662
KA ZENIT 8/1400	560	1400	50	810
KA ZENIT 8/1600	560	1600	50	843






PORK



PORK

BATHROOM RADIATOR

The **Pork radiator** is a cutting-edge, exclusive heating solution designed with sophisticated interiors in mind. This unique radiator has been designed to combine functionality with aesthetics, which makes it not only a heat source, but also a decorative element.



TYPE	HEIGHT (mm)	WIDTH (mm)	HEATING POWER (75/65/20)	CONNECTOR SPACING (mm)
PORK 1000/290	1000	290	431	PD/LD
PORK 1200/290	1200	290	522	PD/LD
PORK 1400/290	1400	290	579	PD/LD
PORK 1600/290	1600	290	634	PD/LD
PORK 1800/290	1800	290	719	PD/LD

CONNECT THE LOWER RIGHT OR LOWER LEFT TO THE SINGLE-HOLE VALVE.





LUXAR



LUXAR

BATHROOM RADIATOR

Luxar is a simple and state-of-the-art decorative radiator, created especially for those looking for sublime solutions for their interiors. Its minimalist design fits in perfectly with modern building trends, adding elegance and style to any room.




TYPE	HEIGHT (mm)	WIDTH (mm)	CONNECTOR SPACING	HEATING POWER
Luxar 100/29	1000	290	D5	438
Luxar 120/29	1200	290	D5	527
Luxar 140/29	1400	290	D5	590
Luxar 160/29	1600	290	D5	643
Luxar 180/29	1800	290	D5	721



LEVEL



LEVEL II





LEVEL and LEVEL II

BATHROOM RADIATOR

LEVEL and **LEVEL II** bathroom radiators are perfect solutions for those who look for an effective and efficient heat source for their bathrooms. They ensure rapid and efficient heat distribution to maintain pleasant temperatures in rooms.

These radiators are extremely functional, as their design allows for practical drying of delicate linen and towels.



TYPE	HEIGHT (mm)	WIDTH (mm)	CONNECTOR SPACING	HEATING POWER	NUMBER OF RIBS
LEVEL 53/60	530	600	50	215	5

TYPE	HEIGHT (mm)	WIDTH (mm)	CONNECTOR SPACING	HEATING POWER	NUMBER OF RIBS
LEVEL II 58/60	580	600	50	492	10
LEVEL II 80/60	800	600	50	658	14
LEVEL II 98/60	980	600	50	890	17
LEVEL II 118/60	1180	600	50	1109	20
LEVEL II 138/60	1380	600	50	1296	24
LEVEL II 158/60	1580	600	50	1611	28
LEVEL II 178/60	1780	600	50	1801	32








ELECTRIC RADIATORS

ELECTRIC RADIATORS

Electric radiators are perfect solutions for those interested in high-quality heating systems available at affordable prices. These cutting-edge heating appliances not only offer efficient and convenient heating, but also other advantages in terms of their installation and cost-effectiveness.



Electric radiators are an ideal solution for buildings not equipped with central heating. As they do not need to be connected to the existing heating system, their installation is quick, simple and economical. Electric radiators can be easily installed in any room, and their unique design eliminates the need for any costly installation work.

We offer a wide assortment of electric radiators available in diverse models, sizes and colours. Developers and construction companies may choose from a variety of styles and designs to match the radiators to the appearance and aesthetic of the building being designed.



ACCESSORIES

Possibility to order a complete set ready for installation.

CONNECTOR TYPE	AVAILABLE ACCESSORIES
	• integrated valve white/black/chromium/an-thracite • rosettes, double sleeves white/black/chromium/an-thracite
	• angular-axial valve white/black/chromium/an-thracite • single rosettes + sleeves white/black/chromium/an-thracite or • angular valves white/black/chromium/an-thracite • single rosettes + sleeves white/black/chromium/an-thracite
	• heater: 300 W / 600 W / 900 W / 1200 W white/black/chromium/satin
ADDITIONAL ACCESSORIES	• vent, • metal plug, • plastic installation sleeves, • heater tee



**bottom connection set,
duplex type**
white



**bottom connection set,
duplex type**
chromium



**bottom connection set,
duplex type**
matt black



**bottom connection set
/ tee**
white/black/chromium/an-
thracite



**angular-axial thermo-
static set**
black/white/chromium/an-
thracite



**electric heater 300 W 600
W 900 W 1200 W**
black/white/chromium



**angular-axial thermo-
static set**
matt black



angular set
matt black



angular set
matt white



radiator cap/plug
matt black



Barry Wilson
Cif Construction
Portmarnock, Co Dublin

barrywilsoncif@gmail.com

www.regnisgrzejniki.pl